

SUPPLEMENT TO



No. 37]

NEW DELHI, SATURDAY, SEPTEMBER 10, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th August, 1955

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
STATES PART(A) AND PART (C)													
Ajmer							Assam—contd.						
TOTAL	—	—	—	..	—	—	(Estd. mid-year pop. 9,672 thousands.)						
(Estd. mid-year pop. 741 thousands.)							Total for w/e 6-8-55	91	59
Total for w/e 6-8-55	Total for w/e 30-7-55	64	43
Total for w/e 30-7-55	1	1	7-yearly mean for the week	5	6	3	1
7-yearly mean for the week							
Andhra							Bhopal						
Srikakulam	2	"N. R."						
Visakhapatnam	1	1	Bihar						
Godavari East	6	3	Patna	271	95	4	4
Krishna	2	1	Gaya	80	36
Guntur	6	1	Shahabad	4
Chittoor	2	Monghyr	94	28
TOTAL	19	6	Bhagalpur	5	2
(Estd. mid-year pop. 21,013 thousands.)							Santal Parganas	9	6
Total for w/e 6-8-55	6	2	46	6	4	3	Hazaribagh	27	11
Total for w/e 30-7-55	27	11	Manbhum	61	29	3
7-yearly mean for the week	520	238	180	19	Palamau	9	4
Assam							Singhbhum
Cachar	15	11	TOTAL	560	211	7	4
Kamrup	73	38	(Estd. mid-year pop. 41,828 thousands.)						
Sibsagar	11	7	Total for w/e 6-8-55	465	168	18	6
TOTAL	99	56	Total for w/e 30-7-55	391	159	63	14
							7-yearly mean for the week	699	320	37	9
Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil; N.R.—Information not received.													

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th August, 1955—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	—	—	C.	D.	C.	D.	C.	D.	C.	D.
Bombay								Madhya Pradesh							
Greater Bombay	1	Nagpur	15	5
Ahmedabad	1	1	Chhindwara	25	7
Kaira	2	Betul	2	1
Surat	2	1	Bhandara	12	1
Ahmednagar	2	2	2	..	Sagar	3	1
East Khandesh	5	2	Mandla	4
West Khandesh	2	Balaghat	3	2
Amreli	6	3	Raipur	6	1
Nasik	4	Bilaspur	12	7	2
Satara North	1	1	Durg	2
Belgaum	1	1	Akola	2
TOTAL	11	6	18	5	Buldana	6	3
(Estd. mid-year pop. 38,892 thousands.)								TOTAL	12	7	82	21
Total for w/e 6-8-55	11	7	35	8	(Estd. mid-year pop. 21,948 thousands.)							
Total for w/e 30-7-55	20	10	35	3	Total for w/e 6-8-55	6	4	66	11
7-yearly mean for the week	150	71	65	12	6	2	..	Total for w/e 30-7-55	40	27	77	12
								7-yearly mean for the week	434	224	42	10
Coorg								Madras							
TOTAL	5	3	North Arcot	8	3
(Estd. mid-year pop. 256 thousands.)								Mathurai	2	1
Total for w/e 6-8-55	Ramnathapuram	14	1
Total for w/e 30-7-55	Malabar	38	11
7-yearly mean for the week	TOTAL	62	16
								(Estd. mid-year pop. 37,797 thousands.)							
Delhi								Total for w/e 6-8-55	19	4
TOTAL	Total for w/e 30-7-55	26	10
(Estd. census pop. 1,744 thousands.)								7-yearly mean for the week	432	216	72	17
Total for w/e 6-8-55	Manipur							
Total for w/e 30-7-55	TOTAL
7-yearly mean for the week	(Estd. mid-year pop. 606 thousands.)							
Himachal Pradesh								Total for w/e 6-8-55
"N. R."								Total for w/e 30-7-55

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th August, 1955—*contd.*

CHOLERA SMALLPOX PLAGUE								CHOLERA SMALLPOX PLAGUE							
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
Orissa								Uttar Pradesh—<i>contd.</i>							
Cuttack		10	2								
Balasore		1	..	6	2	—	—	Bulandshahar	1
Puri		4	1	Kanpur	2	3
Sambalpur		2	1	2	Allahabad	2
Keonjar		1	1	Mirzapur	6
Koraput		5	3	2	Tehri Garhwal	4	2
Kalahandi	17	1	Faizabad	2	2
Mayurbhanj	Bahraich	1
TOTAL		26	8	27	3	TOTAL	22	9
(Estd. mid-year pop. 15,026 thousands.)								(Estd. mid-year pop. 66,112 thousands.)							
Total for w/c 6-8-55		35	11	3	—	..	—	Total for w/c 6-8-55		10	3	28	8
Total for w/c 30-7-55		32	14	47	5	..	—	Total for w/c 30-7-55		12	3	23	12
7-yearly mean for the week		69	33	63	9	7-yearly mean for the week		341	146	29	9
Punjab (I)								Vindhya Pradesh							
Ambala	—	1								
Ferozepur	2	—								
Amritsar	1								
Amritsar	1								
TOTAL	3	1	(Estd. mid-year pop. 3665 thousands.)							
(Estd. mid-year pop. 12,641 thousands.)								Total for w/c 6-8-55	32	..	—	..
Total for w/c 6-8-55	11	2	Total for w/c 30-7-55		3	..	13	5
Total for w/c 30-7-55	7	2	West Bengal							
7-yearly mean for the week		4	2	1	1	Burdwan		30	13
Tripura								Bankura		16	10
TOTAL	—	..	Midnapur		2	1
(Estd. mid-year pop. 693 thousands.)								Hooghly		6	5	1
Total for w/c 6-8-55		—	Howrah		20	9	7	6
Total for w/c 30-7-55	24-Parganas		25	11
Uttar Pradesh								Calcutta		15	9	—	..
Muzaffarnagar	1	Nadia
Meerut	3	2	TOTAL		114	58	8	6

Explanation of symbols used : C.—Cases; D.—Deaths; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th August, 1955—concl'd.

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns.)				West Bengal			
Place	Period	Cases	Deaths				
Greater Bombay	17 April—31 April 55	1	..		1—15 January 55.	6 (Paretic)	
—do—	1—14 May 55.	2	1		16—31 January 55.	2 do	
—do—	15—30 May 55.	7	1		1—15 February 55.	Nil.	
—do—	1—15 June 55.	6	2		16—28 do	2 do.	
—do—	16—31 June 55.	4	..		1—15 March 55.	1 do.	
—do—	1—15 July 55.	13	..		16—31 March 55.	3 do.	
—do—	16—31 July 55.	10	1		1—15 April 55.	4 do.	
Calcutta City	12—16 Aug 55.	2	2		16—30 April 55.	2 do.	
Delhi State	1—15 Aug 55.	1 (Paretic)	..		1—15 May 55.	2 do.	
Punjab State	16—31 July 55.	12 do	..		16—31 May 55.	1 do.	
Madras State	1—15 July 55.	26	..			3 (Non-Paretic)	
—do—	16—31 July 55.	28	..		1—15 June 55.	4 (Paretic)	
					16—30 June 55.	2 do.	
						1 (Non-Paretic)	
					1—15 July 55.	1 (Paretic)	
					16—31 July 55.	6 do.	

Explanation of symbols used : C.—Cases ; D.—Deaths ; ..—Nil. "N.R".—Information not received.

NEW DELHI-2 (INDIA) ;

The 5th September, 1955.

K. MITRA,

for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 3/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th August, 1955

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	I.D.*	I.D.
STATES—(Part A and Part C)													
Ajmer													
"N. R."													
Andhra													
Adoni	61	54	46·1	2	3	13	11·1	1
Anantpur	36	29	41·8	1	4	..	13	18·7	..
Anakapalli	45	32	36·9	4	..	2	..	16	18·5	5
Bhimavaram	35	38	56·5	2	7	10·4	3
Chirala	42	29	35·9	4	1	13	16·1	3
Chittoor	44	37	43·7	4	1	9	10·6	1
Cuddapah	41	32	41·3	2	2	17	21·9	3
Eluru†	35	37	55·0	1	..	2	2	12	17·8	1
Gudivada	36	26	37·4	2	8	11·5	2
Guntur†	67	92	71·3	2	1	1	..	30	23·3	6
Guntakal	86	62	37·4	3	2	4	..	24	14·5	5
Kakinada†	37	25	35·1	3	..	5	7·0	..
Kurnool	65	52	41·7	1	2	3	..	16	12·8	3
Proddatur†	194	108	29·2	1	2	3	3	..	40	10·8	2
Rajahmundry†	124	74	31·2	6	1	4	..	36	15·2	9
Tenali	74	38	26·7	2	2	3	..	28	19·7	5
Vijayawada	74	38	26·7	2	2	3	..	28	19·7	5
Visakhapatnam	74	38	26·7	2	2	3	..	28	19·7	5
Vizianagaram	74	38	26·7	2	2	3	..	28	19·7	5
TOTAL	1,021	765	39·0	1	35	21	29	2	287	14·6	49
Assam													
Shillong†	50	4	4·2	3	4	8	8·3	..
Gauhati	42	3	3·7	1	2	6	7·4	1
Dibrugarh†	42	3	3·7	1	2	6	7·4	1
Silchar	42	3	3·7	1	2	6	7·4	1
TOTAL	92	7	4·0	4	6	14	7·9	1
Bhopal													
Bhopal City	114	53	24·2	4	..	2	..	13	5·9	..
Bihar													
"N. R."													
Bombay													
Ahmedabad	870	821	49·1	..	1	..	21	34	89	..	327	22·8	106
Ahmednagar	87	61	36·4	1	2	8	1	29	17·3	9
Amalner	49	29	30·7	6	11	11·6	2
Bagalkot	36	21	30·3	3	1	9	13·0	3
Baroda	237	176	38·6	26	8	7	..	76	16·6	23
Barshi	45	33	38·1	7	1	..	3	28	32·3	9
Belgaum	109	140	66·7	3	3	3	..	44	20·9	6
Bhusawal	61	45	38·6	12	20	17·0	4
Bijapur	73	66	46·9	4	..	1	..	11	7·8	1
Broach†	41	52	65·9	2	4	15	19·0	..
Cambay	34	25	38·2	5	1	1	..	9	13·8	..
Challagaoon	34	25	38·2	5	1	1	..	9	13·8	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. —Nil Information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th August, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—contd.													
Dharwar	75	26	18.0	1	..	2	..	14	9.7	..
Dhulla	87	48	32.4	7	1	5	1	20	13.5	..
Gadag-Betgeri	70	43	31.9	4	1	5	1	25	18.6	3
Godraj													
Greater Bombay	3,335	1,661	25.9	2	48	159	2	749	11.7	268
Hubli	144	73	26.3	1	..	3	1	15	5.4	1
Jalgaon	77	34	22.1	6	1	12	8.9	5
Kalyan	70	34	25.2	2	12	8.9	5
Kolhapur	155	116	38.9	3	6	7	..	47	15.7	12
Malegaon	62	48	40.3	7	3	2	..	15	12.6	2
Miraj†													
Nadiad	70	65	48.3	16	24	17.8	..
Nandurbar	34	21	32.1	1	..	1	..	9	13.7	2
Nasik	115	53	23.9	8	5	4	..	43	19.4	..
Navsari	49	37	39.2	6	13	13.8	4
Pandharpur	44	39	46.1	5	3	7	..	28	33.1	12
Patan	46	54	61.0	1	2	9	10.1	2
Poona	584	368	32.8	1	11	19	2	147	13.1	52
Sangli	57	30	32.8	2	1	4	..	16	14.6	5
Satara	40	34	44.2	1	1	1	..	15	19.5	7
Sholapur	293	281	49.8	19	14	44	..	132	23.4	35
Surat	245	185	38.6	..	1	..	4	3	13	..	72	15.2	26
Thana†													
TOTAL	7,399	4,719	33.6	..	2	..	187	154	385	11	1,996	14.2	64
Delhi State													
Delhi City	1,085	1,023	49.0	69	17	46	3	204	9.7	63
New Delhi	355	271	39.6	13	2	8	..	122	17.9	27
N.A.C. Civil Station, Delhi	111	116	54.3	3	2	3	..	17	8.0	8
Delhi Cantt.	49	24	25.5	1	..	1	1.1	..
Delhi-Shahdra	51	55	56.0	3	2	8	8.1	4
TOTAL	1,651	1,489	46.9	88	23	58	3	352	11.1	102
Madhya Pradesh													
"N. R."													
Madras													
Ambur	44	34	40.2	1	..	5	5.9	2
Aruppukottai	54	57	54.9	2	3	4	..	17	16.4	7
Bodinayakanur	39	24	29.3	1	..	1	2	7	9.3	2
Cannanore	46	25	28.3	2	..	2	..	16	18.1	3
Chidambaram	38	24	32.8	1	..	11	15.1	4
Coimbatore	227	245	56.1	3	14	18	3	89	20.4	22
Cuddalore	73	77	54.8	2	3	4	1	23	16.4	2
Dindigul	88	45	26.6	4	3	4	..	22	13.9	5
Erode	65	54	43.2	2	6	..	21	16.8	8
Gobichetty Palayam	37	13	18.3	1	2	2.8	..
Guddiyattam	51	28	28.3	1	1	3	..	13	13.1	4
Kancheepuram	89	82	47.9	3	15	2	33	19.3	7
Karaikudi	43	45	54.4	1	1	..	1	7	8.5	3
Karur	48	39	42.2	2	2	13	14.1	4
Kozhikode	173	166	49.9	10	4	14	5	117	35.2	25
Kumbakonam	102	94	47.9	1	1	1	2	20	10.2	3
Madras	1,649	1,579	49.8	50	100	170	3	633	20.8	185
Mangalore	133	110	43.0	4	..	7	..	42	16.4	5
Methuram	415	376	47.1	8	10	34	1	137	17.2	36
Mayuram	48	38	41.2	1	..	11	11.9	2
Melapalayam	40	13	16.9	1	..	1	..	8	10.4	3

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th August, 1955—*contd.*

Deaths from :—														
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras—contd.														
Nagapattinam	60	43	37.3	3	1	2	..	20	17.3	7	
Ottacamund	46	30	33.9	1	5	..	11	12.4	6	
Palani	39	36	48.0	1	2	..	5	6.7	..	
Palayamkottai	44	41	48.5	1	2	1	..	21	24.8	5	
Palghat	76	49	33.5	2	1	30	20.5	7	
Pariyakulam	33	37	58.3	3	3	1	15	23.6	4	
Pollachi	49	43	45.6	2	1	1	..	13	13.8	7	
Pudukottai	49	29	30.8	3	..	3	..	20	21.2	4	
Rajapalayam	67	43	33.4	1	3	4	..	17	13.2	2	
Salem	234	135	30.0	6	5	12	..	61	13.6	4	
Srirangam	41	46	58.3	1	..	5	6.3	1	
Srivilliputtur†														
Tanjore	115	92	41.6	2	..	3	..	43	19.4	3	
Tellicherry	42	25	31.0	2	1	3	1	19	23.5	4	
Tiruchirappalli	245	148	31.4	3	6	6	2	61	12.9	7	
Tirunelveli	79	42	27.6	1	4	..	18	11.8	7	
Tiruppur	61	77	65.6	..	1	2	20	17.0	5	
Tiruvannamalai	44	30	35.5	1	2	2	..	12	14.2	4	
Tuticorin†														
Vaniyambadi	42	29	35.9	2	..	1	..	12	14.9	5	
Vellore	121	112	48.1	2	9	..	44	18.9	13	
Villupuram	39	46	61.3	1	3	2	1	16	21.3	7	
Virudunagar	51	38	38.7	5	4	1	..	21	21.4	3	
TOTAL	5,079	4,337	44.4	..	1	..	126	187	352	25	1,731	17.7	437	
Orissa														
Berhampur	70	73	54.4	4	2	2	..	27	20.1	4	
Cuttack	114	121	55.3	7	1	6	..	47	21.5	7	
Puri	53	50	49.2	10	1	2	..	26	25.6	6	
TOTAL	237	244	53.5	21	4	10	..	100	21.9	17	
Punjab (I)														
Ambala	64	52	42.4	..	1	..	4	1	1	..	12	9.8	5	
Amritsar	335	258	40.2	1	10	24	..	76	11.8	22	
Batala	61	42	35.9	2	4	..	11	9.4	..	
Bhiwani	56	64	59.6	3	1	1	..	7	6.5	3	
Ferozepore†														
Hissar	38	43	59.0	2	2	5	6.9	1	
Hoshiarpur	50	36	37.5	6	1	3	..	13	13.6	6	
Jullundur	194	157	42.2	2	..	11	..	26	7.0	6	
Karnal	69	54	40.8	7	..	1	..	12	9.1	2	
Ludhiana	172	198	60.0	10	19	5.8	5	
Moga	40	32	41.7	5	8	10.4	1	
Panipat	62	49	41.2	2	1	1	..	9	7.6	2	
Pathankot	33	24	37.9	1	1	3	..	5	7.9	2	
Rewari	36	35	50.7	1	1	2	..	5	7.2	1	
Rohtak	102	96	49.1	3	1	13	6.6	7	
Simla	49	29	30.9	1	6	6.4	..	
Sonapat	33	47	74.2	2	1	5	7.9	2	
TOTAL	1,394	1,216	45.4	..	1	..	50	22	51	..	232	8.7	65	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..= Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th August, 1955—*contd.*

Deaths from :—														
Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh														
Agra	367	520	73.9	4	59	..	104	14.8	45	
Allahabad	342	160	24.4	4	2	24	1	64	9.7	19	
Amroha	60	34	29.5	3	..	4	..	11	9.5	7	
Bahraich	46	38	43.1	2	2	9	10.2	3	
Banaras	375	377	52.4	..	1	..	50	24	15	1	200	27.8	63	
Balla†														
Banda	32	25	40.7	2	..	4	..	10	16.3	4	
Bareilly	201	93	24.1	13	5	5	..	29	7.5	8	
Bijnor	31	20	33.6	3	1	1	..	9	15.1	2	
Budaun	54	34	32.8	—	5	2	2	..	17	16.4	8	
Basit†														
Bulandshahr	41	12	15.3	1	1	1.3	1	
Chandauli	40	58	75.6	10	3	4	..	24	31.3	8	
Dehra Dun	141	30	11.1	3	..	2	..	20	7.4	3	
Etawah†														
Faizabad-Ayodhya	85	38	23.3	..	2	..	3	3	3	..	13	8.0	1	
Farrukhabad-Fatehgarh	81	64	41.2	3	5	4	..	20	12.9	8	
Ferozabad	76	32	21.9	5	12	8.2	5	
Ghaziabad	45	29	33.6	11	16	18.5	10	
Ghaziipur	36	40	57.9	2	..	1	..	12	17.4	3	
Gorakhpur	137	67	25.5	10	1	1	1	19	7.2	4	
Gonda	34	14	21.5	1	2	3.1	..	
Hapur†														
Hardwar	63	38	31.4	11	..	2	..	21	17.4	5	
Hathras	61	81	69.2	1	13	10	5	..	37	31.6	18	
Jaunpur	56	28	26.1	3	..	6	1	16	14.6	2	
Jhansi	115	121	54.9	23	3	42	19.0	15	
Kanpur	716	501	35.2	113	19	58	5	311	21.8	93	
Kasganj	34	12	18.4	3	3	4.6	2	
Khurja	40	27	35.2	3	..	7	9.1	2	
Koili-Aligarh	148	83	29.2	10	2	5	..	26	9.2	9	
Lucknow†														
Mathura	108	93	44.9	21	1	7	..	33	15.9	10	
Mau-NathBhawan	37	43	60.6	..	4	..	3	2	20	28.2	5	
Meerut	181	121	34.8	4	1	3	2	17	4.9	3	
Mirzapur-Vindhyachal	95	75	41.2	1	..	8	8	2	6	..	34	18.7	13	
Moradabad	163	180	57.6	11	7	12	..	50	16.0	13	
Muzaffarnagar	72	45	32.6	—	9	..	1	..	15	10.9	6	
Pilibhit	45	28	32.4	9	..	4	..	17	19.7	4	
Rampur†														
Saharanpur	158	132	43.6	24	..	1	..	35	11.5	11	
Sambhal	64	56	45.6	8	3	1	..	17	15.5	6	
Shahjahanpur	99	76	40.0	17	1	2	1	41	21.6	17	
Sitapur	48	28	30.4	3	..	1	..	11	11.9	5	
TOTAL	4,527	3,453	39.7	2	7	8	424	103	243	12	1,345	15.5	441	

West Bengal

"N.R."

STATES—(Part B)**Jammu & Kashmir**

"N.R."

Madhya Bharat

Greater Gwalior	267	181	35.3	6	..	1	..	13	2.5	1
Indore	357	126	18.4	16	6	9	2	96	14.0	34
Ujjain	151	55	18.9	14	5	..	1	51	17.6	..
Ratlam	71	29	21.4	3	1	9	6.6	1
Mandsaur	40	1
TOTAL	886	391	23.0	40	12	10	3	169	9.9	36

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D.R.—Death Rates ; I. D.—Infantile deaths (included in total deaths) ; ..—Nil information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of and 30,000 over in India for the week ending the 13th August, 1955—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Mysore															
Bangalore	936	541	42.2	9	43	64	..	200	13.6	..		
Mysore	285	120	25.3	15	9	8	..	73	15.4	..		
Kolar Gold Fields	170	107	32.7	9	11	..	40	12.2	..		
Davangere†															
TOTAL	1,391	768	28.7	24	61	83	..	313	11.7	..		
PEPSU															
Patiala City	108	91	43.8	12	1	30	14.4	14		
Malerkotla	34	25	38.2	2	4	6.1	1		
Bhatinda	38	17	22.7	1	2	2.7	..		
TOTAL	180	133	38.4	15	1	36	10.4	15		
Rajasthan															
Alwar	60	55	47.3	8	6.9	3		
Bharatpur	38	10	13.7	..	2	..	4	7	13	17.8	..		
Bikaner	117	60	26.6	..	1	..	7	5	13	..	58	25.7	12		
Churu†															
Ganganagar†															
Tonk	45	20	23.1	1	1	..	2	2.3	..		
Kotah	71	22	16.1	10	..	2	14	10.2	2		
Sikar†															
Jaipur	341	78	11.9	16	4	8	..	49	7.5	23		
Udaipur†															
Jodhpur															
TOTAL	717	243	17.8	..	3	..	27	27	22	2	144	10.4	40		
Travancore-Cochin															
Alleppey	142	99	36.3	9	3	37	13.5	8		
Changanacherry†															
Ernakulam	69	64	48.6	1	3	19	14.3	2		
Kottayam	49	41	43.5	15	..	3		
Mattanchery	83	78	48.9	6	30	18.7	8		
Nagercoil	91	44	25.1	2	1	13	7.4	3		
Quilon	73	71	50.4	3	19	13.5	4		
Trichur	75	99	68.6	7	4.9	1		
Trivandrum City	213	43	10.5	1	23	5.7	4		
TOTAL	795	539	35.3	12	11	..	6	163	10.7	33		
Saurashtra															
Bhavnagar	153	74	25.2	9	7	1	..	31	10.5	8		
Dhoraji	46	15	17.0	1	3	3.4	..		
Gondal	40	20	26.0	3	3.9	..		
Jamnagar	119	20	8.7	12	..	3	..	25	11.0	6		
Junagadh†															
Morvi	42	7	8.7	4	..	1	..	4	5.0	2		
Porbandar	63	23	19.0	10	1	..	8	20	16.6	8		
Rajkot	161	85	27.5	13	3	3	..	27	8.7	11		
Surendranagar	41	10	12.5	2	2.5	..		
Veraval	45	10	11.6	2	1	1	..	6	6.9	..		
TOTAL	710	264	19.3	51	12	9	8	121	8.9	35		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th August, 1955—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>ARREAR RETURNS</i>													
<i>For w/e the 30th July, 1955</i>													
Bihar													
Arrah	69	6	4.3	7	2	14	10.6	..
Bihar	67	14	10.9	6	3	17	11.2	..
Berhah	38	8	10.9	2	4	5.5	1
Bhagalpur†													
Chapra	68	37	28.3	5	14	10.7	..
Darbhanga	92	25	14.1	7	..	2	..	13	7.3	..
Dhanbad†													
Dinapur	44	4	4.7	1	..	2	3	3.5	..
Gaya	146	54	19.2	35	9	10	1	78	27.8	..
Hazaribagh	38	9	12.3	4	5.5	1
Jamalpur	46	20	22.6	1	4	4.5	..
Jamshedpur	241	107	23.1	1	2	8	1.7	2
Katihar	49	1	1	2	2.1	..
Monghyr	79	21	13.8	5	..	1	..	11	7.2	..
Muzaffarpur	82	32	20.3	9	..	2	..	21	13.3	..
Patna	321	150	24.3	5	37	6.0	..
Purulia	46	6	6.8	2	..	1	..	5	5.7	..
Ranchi	126	12	5.1	6	15	6.3	..
TOTAL	1,552	505	16.9	7	88	15	16	3	250	8.8	4

West Bengal

For w/e the 6th August, 1955

Asansol†	33	13	20.5	1	6	9.5	1
Baidyabati	65	9	7.2	1	..	1	..	2	1.6	..
Bankura	50	5	5.2	1	1	1	..	5	5.2	2
Bansberia†	87	36	21.5	5	5	3	..	17	10.2	..
Baranagar													
Basirhat	39	3	4.0	6	1	1	..	9	12.0	..
Berhampur	62	49	41.2	1	1	5	4.2	1
Bhadreshwar	34	10	15.3	3	4.6	1
Bhatpara	141	23	3.9	7	2	3	2	30	5.1	8
Budge-Budge	32	9	14.7	5	1	..	6	9.8	2
Burdwan	81	12	7.7	1	1	..	1	10	6.4	..
Calcutta	2,931	1270	22.6	11	1	..	43	61	120	3	572	10.2	178
Champdani	40	10	13.0	2	2.6	..
Cooch Behar†													
Darjeeling	41	20	25.4	1	6	7.6	..
English Bazar	35	16	23.8	2	..	1	..	5	7.4	..
Garden-Reach	121	15	6.5	7	3	15	6.5	4
Hallsahar	40	4	5.2	1	1.3	..
Hooghly-Chinsura	60	66	57.4	4	4	12	10.4	2
Howrah	471	163	18.0	5	2	..	4	19	37	..	131	14.5	41
Jalpaiguri†													
Kamarhati†													
Kanchrapara	71	11	8.1
Krishnagar	55	1	2	..	4	3.8	..
Midnapur	44	21	24.9	1	2	6	7.1	..
Nabadwip	67	39	30.4	1	3	1	..	1	8	6.2	1
Naihati	61	8	6.8	1	1	..	5	4.3	..
North Barrackpore	36	5	7.2
Panihati†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th August, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Estd. (000)	B.	B.R.*	C.	S.	P.	F	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Santiphru	48	32	34.8	3	3.3	..
Serampore	82	29	18.4	1	3	8	2	..	25	15.9	8
Siliguri	42	29	36.0	2	9	11.2	..
South Dum-Dum	79	1	0.7
South Suburban	120	43	18.7	1	7	3	..	15	6.5	4
Titagarh	76	30	20.6	1	14	1	1	..	19	13.0	3
TOTAL	5,144	1,981	20.0	25	3	..	101	125	176	7	931	9.4	256
West Bengal													
<i>For week the 30th July 1955</i>													
Asansol†	33	3	4.7	2	2	3.2	..
Baidyabati	65	6	4.8	1	2	1.6	2
Bally
Bankura	50	24	25.0	1	..	3	3.1	..
Bansberia†	87	31	18.5	1	4	6	2	..	21	12.6	..
Baranagar
Basirhat	39	4	5.3	5	1	7	9.3	..
Berhampur	62	50	42.1	5	3	1	..	23	19.3	4
Bhadreshwar	34	3	4.6	1	1	1	..	4	6.1	..
Bhatpara	141	22	8.1	11	2	1	..	39	14.4	5
Budge-Budge	32	9	14.7	1	3	1	..	6	10.0	1
Burdwan	81	21	13.5	2	3	..	12	7.7	..
Calcutta	2,931	1,324	23.6	14	40	73	100	1	541	9.6	174
Champdani	40	18	23.5	4	5.2	..
Cooch-Behar†
Darjeeling	41	37	46.9	3	..	1	..	5	6.3	..
English-Bazar	35	21	31.3	1	..	1	10	14.9	..
Garden Reach	121	15	6.5	3	4	3	..	20	8.6	7
Halisahar	40	2	2.6
Hooghly-Chinsurah	60	44	38.2	4	1	1	..	16	13.9	3
Howrah†
Jalpaiguri	47	18	20.0	1	..	1	..	6	6.7	..
Kamarhati†	71	29	31.3	1	0.7	..
Kanchrapara
Krishnagar	55	1	0.9
Midnapore	44	31	36.7	1	2	2	1	1	12	14.2	..
Nabadwip	67	35	27.2	7	1	8	6.2	1
Naihati	61	2	1.7	1	1	2	..	6	5.1	2
North Barrackpore	36	6	8.7	1	1	1.4	..
Panihati	62	3	2.5	1	1	0.8	..
Shantipur	48	110	2	..	1	..	4	4.3	..
Serampore	82	40	25.4	4	9	3	..	32	20.3	11
Siliguri†
South Dum Dum	79	3	2.0
South Suburban	120	44	19.1	9	4	..	19	8.3	8
Titagarh	76	21	14.4	11	..	1	1	14	9.6	2
TOTAL	4,740	1,977	21.7	21	102	122	128	4	819	9.0	220

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 13th August, 1955 relate to 189 towns with an estimated population of 26,093 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 63% of the total number of towns representing 67% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,623 and 7,016 representing birth and death rates of 37.1 and 14.0 per thousand of population respectively.

(a) *States (Parts A and C).*—The data here relate to 154 towns with an estimated population of 21,414 thousands. Information about Ajmer, Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 61% of the total number of towns representing 66% of the total population is covered. The

number of births and deaths recorded in these towns were 16,283 and 6,070 representing birth rates and death rates of 39.5 and 14.7 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 35 towns with an estimated population of 4,679 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 73% of the total number of towns representing 73% of the total population is covered. The number of births and deaths recorded in these towns were 2,340 and 946 representing birth and death rates of 26.0 and 10.5 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 13-8-55		Corresponding w/c last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Andhra . . .	39.0	14.6	32.4	15.5	†	†
Bombay . . .	33.6	14.2	29.2	14.4	31.7	17.1
Delhi . . .	46.9	11.1	34.8	7.2	41.5	10.4
Madras . . .	44.4	17.7	30.6	17.0	†	†
Orissa . . .	53.5	21.9	39.7	17.7	36.3	24.8
Punjab (I) . .	45.4	8.7	37.2	9.6	34.9	10.2
Uttar Pradesh .	39.7	15.5	30.7	14.3	35.7	17.7
India (only States Parts 'A' and 'C')	37.1	14.0	30.8	15.1	34.7	18.1

† Figures not available.

NEW DELHI-2 (INDIA) :

The 5th September, 1955

K. MITRA,
for Registrar General, India

